



1600 W. 38th Street, Suite 100

Austin TX, 78731

www.pediatricassociates.net | 512.458.5323

Well Check Age	Vaccination	Details
Newborn	Hep B	1 injection
1 Month	Hep B	1 injection (Must be at least 28 days after 1st Hep B)
2 Months	Pentacel (DTaP, IPV, Hib), PCV, Rotavirus (oral)	2 injections, 1 oral (Must be at least 6 weeks old)
4 Months	Pentacel (DTaP, IPV, Hib), PCV, Rotavirus (oral)	2 injections, 1 oral (Must be at least 1 month since last)
6 Months	Pentacel (DTaP, IPV, Hib), PCV, Rotavirus (oral)	2 injections, 1 oral (Must be at least 1 month since last)
9 Months	Hep B	1 injection
12 Months	Hep A, MMR, Varicella	3 injections (Must be at least 12 months old)
15 Months	PCV, DTaP, Hib	3 injections
18 Months	Hep A	1 injection (must be administered \geq 6 months from dose)
2 Years	No Shots	(If up to date. Flu vaccine recommended seasonally)
3 Years	MMR, Varicella	2 injections
4 Years	DTaP, IPV	1 injection (Must be at least 4 years old)
11-12 Years	Tdap, MCV4, *HPV (Recommended and optional)	2/3* injections
12+ Years	*HPV (Recommended and optional)	(HPV is a series of 2 vaccines if started <15 years, or 3 vaccines if started \geq 15 years)
16 years	MCV4	1 injection
17-18 years	MenB (Recommended and optional)	2 injections, spaced > 6 mo apart

Vaccine Abbreviation Key

Hep B = Hepatitis B
 Pentacel = Dtap + IPV + Hib
 DTaP = Diphtheria, tetanus & pertussis
 IPV = Poliovirus
 Hib = Haemophilus influenzae type b
 PCV = Pneumococcal conjugate vaccine

MMR = Measles, mumps, and rubella
 Varicella = Chicken pox vaccine
 Tdap = Tetanus, diphtheria, and pertussis
 MCV4 = Meningococcal strains ACYW
 HPV = Human Papilloma Virus/Gardasil
 MenB = Meningococcal strain B

Samuel Mirrop, MD | Lance Hargrave, MD | Ashley Gonzalez, MD | Katie Sanford, MD
 Christine Kasbarian, MD | Forrest Gnagl, MD | Margot Martino, MD